according to 1907/2006/EC, Article 31

Printing date 06.02.2018

Version number 2

Revision: 20.03.2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name weber.joint wide flex grey

Safety data sheet no.: 44P46035 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
Saint-Gobain Weber
Dickens House
Enterprise Way
Flitwick
Bedford.
MK45 5BY
Tel: +44(0)1525 718877
Web: www.netweber.co.uk
email:sara.kelly@netweber.co.uk
1.4 Emergency telephone number: +44(0) 8703 330070 Office hours only (08.30-17.00 UK time)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. **Hazard pictograms**



(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 06.02.2018

Version number 2

Revision: 20.03.2015

Trade name weber.joint wide flex grey

(Contd. of page 1)

Signa	I word Danger
	d-determining components of labelling:
	nt portland, grey
	rd statements
	Causes skin irritation.
	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
Preca	nutionary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305	+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	•
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
Addit	ional information:
Conta	ins 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.
2.3 O	ther hazards
Resu	Its of PBT and vPvB assessment
PBT:	Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:

CAS: 65997-15-1	cement portland, grey	25-50%	
EINECS: 266-043-4	🔗 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT		
	SE 3, H335		

SVHC Void

Additional information

The mixture is "low chromate" according to the Regulation (EC) No 1272/2008 within the product shelflife, so that the classification with H317 is not applicable, when the packing was not opened in the meantime.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Version number 2

Revision: 20.03.2015

Trade name weber joint wide flex grey

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Provide suction extractors if dust is formed. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 06.02.2018

(Contd. of page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.02.2018

weber

Version number 2

Revision: 20.03.2015

Trade name weber.joint wide flex grey

9.1 Control parameters	(Contd. of page
8.1 Control parameters Ingredients with limit values that require n	nonitoring at the workplace:
CAS No. Designation of material %	Type Value Unit
65997-15-1 cement portland, grey	
WEL Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust	
Quartz alveolar dust (< 5 μm) : 0,15 mg/m ³ Additional information:	alues for possible hazards during processing: eed as the basis for the preparation and/or revision of th
Personal protective equipment: General protective and hygienic measures The usual precautionary measures are to be Wash hands before breaks and at the end of Respiratory protection: Not required. Protection of hands: Protective gloves. Eye protection: Tightly sealed goggles Body protection: Protective work clothing.	adhered to when handling chemicals.
-	
9.1 Information on basic physical and che General Information Appearance: Form: Colour:	
9.1 Information on basic physical and che General Information Appearance: Form: Colour: Odour:	mical properties Solid. According to product specification
9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour: Odour threshold:	mical properties Solid. According to product specification Characteristic
9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value:	mical properties Solid. According to product specification Characteristic Not determined.
9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range:	mical properties Solid. According to product specification Characteristic Not determined. Not applicable. Undetermined.
9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point:	mical properties Solid. According to product specification Characteristic Not determined. Not applicable. Undetermined. Undetermined.
9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point:	mical properties Solid. According to product specification Characteristic Not determined. Not applicable. Undetermined. Undetermined. Not applicable
9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point: Flammability (solid, gas): Ignition temperature:	mical properties Solid. According to product specification Characteristic Not determined. Not applicable. Undetermined. Undetermined. Not applicable Product is not flammable.
9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point: Flammability (solid, gas): Ignition temperature: Decomposition temperature:	mical properties Solid. According to product specification Characteristic Not determined. Not applicable. Undetermined. Undetermined. Not applicable Product is not flammable. Not determined. Not determined. Not determined. Not determined.
9.1 Information on basic physical and cher General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point: Flammability (solid, gas): Ignition temperature: Decomposition temperature: Auto-ignition temperature:	mical properties Solid. According to product specification Characteristic Not determined. Not applicable. Undetermined. Undetermined. Not applicable Product is not flammable. Not determined. Not determined. Product is not selfigniting.
Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point: Flammability (solid, gas): Ignition temperature:	mical properties Solid. According to product specification Characteristic Not determined. Not applicable. Undetermined. Undetermined. Not applicable Product is not flammable. Not determined. Not determined. Not determined. Not determined.

according to 1907/2006/EC, Article 31

Printing date 06.02.2018

Version number 2

Revision: 20.03.2015

Trade name weber.joint wide flex grey

	(Contd. of page
Oxidising properties	Not determined.
Vapour pressure:	Not applicable.
Density:	Not applicable.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Unsoluble
Segregation coefficient (n-octanol/	/water) log
Pow:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
EU-VOC	0.00 %
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Туре	Value	Species
65997-15-1 cement port	land, grey		
Dermal LD50 >2,000 mg	g/kg (Rabbit)		
1317-65-3 limestone			
Oral LD50 >5,000 mg	g/kg (Rat)		
Primary irritant effect: Skin corrosion/irritation Causes skin irritation. Serious eye damage/irri Causes serious eye dama	tation		
			(Contd. on page 6

according to 1907/2006/EC, Article 31

Version number 2

Revision: 20.03.2015

Trade name weber joint wide flex grey

(Contd. of page 5)

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

Type of test Effective concentration Method Assessment

1317-65-3 limestone

LC50/96h >10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))

EC50/48h >1,000 mg/l (Daphnia magna)

EC50/72h >200 mg/l (Algae)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

Behaviour in environmental systems:

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

Recommended cleaning agent: Thoroughly shake out sacks.

(Contd. on page 7)



Printing date 06.02.2018



according to 1907/2006/EC, Article 31

Printing date 06.02.2018

Version number 2

Revision: 20.03.2015

Trade name weber.joint wide flex grey

(Contd. of page 6)

SECTION 14: Transport informatic	on
14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR Class ADN/R Class:	- (-) Void
IMDG Class Label	Void -
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user EMS Number:	Not applicable.
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	Not dangerous according to the abov specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.H317 May cause an allergic skin reaction.H318 Causes serious eye damage.H335 May cause respiratory irritation.

(Contd. on page 8)

GB

according to 1907/2006/EC, Article 31

Printing date 06.02.2018

Version number 2

Revision: 20.03.2015

Trade name weber.joint wide flex grey

(Contd. of page 7) Department issuing SDS: Quality Department **Contact:** Dr S. Kelly; tel. + 44 (0) 1525 718877 Dr Sara Kelly SHEQ Systems Manager Weber Tel: 01525 722145 Fax: 01525 718988 Email: sara.kelly@netweber.co.uk Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered. GB

